

What is claimed is:

Sub a'7 1. A disposable novelty sports apparatus comprising a shaft having a grip end and an oppositely spaced equipment end, the shaft comprising:

5 a polymer material that resiliently bends in response to a bending force applied between the grip end and the equipment end, and

10 the polymer material allowing a resilient bending of the shaft in response to the bending force, the bending force thus causing the shaft to deflect to a bend angle within determined parameters; and

the polymer material having an elastic memory to allow return of the shaft to a generally straightened and original condition once the bending force is removed; and 102

15 the shaft further having an annular score line formed on the shaft between the grip end and the equipment end comprising a line of weakness along which the shaft will permanently break in response to application of the bending force within a specified range or when the shaft is deflected to a determined bend angle that exceeds the determined parameters. 20

2. An apparatus according to Claim 1 wherein the shaft has a generally curvilinear cross section. 102

3. An apparatus according to Claim 2 wherein the cross section is generally round. 102

4. An apparatus according to Claim 2 wherein the cross section is generally elliptical. 103

5. An apparatus according to Claim 1 wherein the shaft has a generally rectilinear cross section. 103

6. An apparatus according to Claim 5 wherein the cross section is generally rectangular. 103

7. An apparatus according to Claim 5 wherein the cross section is generally octagonal. 103

8. An apparatus according to Claim 5 wherein 103

09883088-061501

the cross section is generally hexagonal.

9. An apparatus according to Claim 1 wherein the bend angle is a range of angles having a minimum bend angle and a maximum bend angle.

10. An apparatus according to Claim 9 wherein the minimum bend angle is about 25 degrees.

11. An apparatus according to Claim 9 wherein the maximum bend angle is about 75 degrees.

12. An apparatus of Claim 1 wherein the polymer material is a resilient polymer.

13. An apparatus of Claim 12 wherein the resilient polymer is plastic.

14. An apparatus of claim 13 wherein the plastic is PVC.

15. An apparatus of claim 1 wherein the polymer material is extruded.

16. An apparatus of claim 1 wherein the polymer material is molded.

17. An apparatus of claim 1 wherein the polymer material is machined.

18. An apparatus of claim 1 wherein the equipment end includes a golf club head.

19. An apparatus of claim 1 wherein the equipment end includes a racquet head.

20. An apparatus of claim 19 wherein the racquet head is a tennis racquet head.

21. An apparatus of claim 19 wherein the racquet head is a racquet-ball racquet head.

22. An apparatus of claim 19 wherein the racquet head is a badminton racquet head.

23. An apparatus of Claim 1 wherein the equipment end includes a baseball bat.

24. An apparatus of claim 1 wherein the equipment end includes a pool cue.

25. A method of using disposable novelty

09883088 061501

Species!

sports apparatus in a dramatic and humorous way to relieve frustration and stress comprising the steps:

5 providing disposable novelty sports apparatus having a shaft, the shaft comprising a resilient polymer material and an annular score line;

grasping an end of a shaft with a hand;
holding a second end of the shaft with a second hand;

10 bending the shaft to a range of bend angles, not to exceed a predetermined maximum bend angle;

returning the shaft to a normal position;
releasing the first and second ends of the shaft.

26. A method of permanently breaking disposable novelty sports apparatus in a dramatic and humorous way to relieve frustration and stress comprising the steps:

5 providing disposable novelty sports apparatus having a shaft, the shaft having a score line and the shaft comprising a resilient polymer material and an annular score line;

10 grasping an end of a shaft with one hand;
holding a second end of the shaft with another hand;

bending the shaft through a predetermined range of bend angles;

15 flexing the shaft beyond the maximum bend angle;

breaking the shaft at the score line.

27. A method according to Claim 26 further including the step of disposing the broken shaft.

0933083.061501
FOI b7D b7C b7E